Wednesday January 31st

07:20 - 08:00	Breakfast	
08:00 - 08:40	Case Presentations I – Cranial and Spinal Angiogram	Dr Lissa Peeling
	anatomy (normal and pathological) with Cases	_
08:50 - 09:30	Case Presentations II – Cranial and Spinal Angiogram anatomy	Dr Lissa Peeling
	(normal and pathological) with Cases	
09:40 - 10:20	Vascular Malformations of the Brain and Spinal Cord:	Dr. Stephen Lownie
	AVM's and DAVF's I	
	 Discuss the epidemiology and clinical features of AVIM's 	
	 Describe the surgical treatments of a ruptured AVM 	
	• Describe the classification and treatment options for AVM's	
10:20 - 10:30	BREAK	
10:30 - 11:10	Vascular Malformations of the Brain and Spinal Cord:	Dr. Stephen Lownie
	AVM's and DAVF's II	
	Discuss the epidemiology and clinical features of AVIM's	
	Describe the surgical treatments of a ruptured AVM	
	• Describe the classification and treatment options for AVM's	
11:10 - 11:50	Intraoperative Neurophysiological Monitoring I	Dr. Susan Morris
	Describe intraoperative neurophysiological monitoring	
	((IONM) techniques and their usefulness.	
	Describe neurophysiological mapping techniques and their	
	usefulness.	
	Describe the limitations of IONW and neurophysiological mapping	
	mapping.	
11:50 - 12:30	Intraoperative Neurophysiological Monitoring II	Dr. Susan Morris
	Compare and contrast the strengths, weaknesses and	
	overall usefulness of the two primary modalities used in	
	overall usefulness of the two primary modalities used in intraoperative neurophysiological monitoring (IONM): 1.	
	overall usefulness of the two primary modalities used in intraoperative neurophysiological monitoring (IONM): 1. Somatosensory Evoked Potentials (SSEPs) and 2.	
	overall usefulness of the two primary modalities used in intraoperative neurophysiological monitoring (IONM): 1. Somatosensory Evoked Potentials (SSEPs) and 2. Transcranial Motor Evoked Potentials (TCMEPs).	
	 overall usefulness of the two primary modalities used in intraoperative neurophysiological monitoring (IONM): 1. Somatosensory Evoked Potentials (SSEPs) and 2. Transcranial Motor Evoked Potentials (TCMEPs). Compare and contrast TCMEPs and D-wave potentials with specific reference to spinal cord tumour resection surrery. 	
	 overall usefulness of the two primary modalities used in intraoperative neurophysiological monitoring (IONM): 1. Somatosensory Evoked Potentials (SSEPs) and 2. Transcranial Motor Evoked Potentials (TCMEPs). Compare and contrast TcMEPs and D-wave potentials with specific reference to spinal cord tumour resection surgery. Choose the intraoperative 	
	 overall usefulness of the two primary modalities used in intraoperative neurophysiological monitoring (IONM): 1. Somatosensory Evoked Potentials (SSEPs) and 2. Transcranial Motor Evoked Potentials (TcMEPs). Compare and contrast TcMEPs and D-wave potentials with specific reference to spinal cord tumour resection surgery. Choose the intraoperative neurophysiological monitoring and/or mapping modalities 	
	 overall usefulness of the two primary modalities used in intraoperative neurophysiological monitoring (IONM): 1. Somatosensory Evoked Potentials (SSEPs) and 2. Transcranial Motor Evoked Potentials (TcMEPs). Compare and contrast TcMEPs and D-wave potentials with specific reference to spinal cord tumour resection surgery. Choose the intraoperative neurophysiological monitoring and/or mapping modalities you would employ during the below listed procedures and 	
	 overall usefulness of the two primary modalities used in intraoperative neurophysiological monitoring (IONM): 1. Somatosensory Evoked Potentials (SSEPs) and 2. Transcranial Motor Evoked Potentials (TCMEPs). Compare and contrast TcMEPs and D-wave potentials with specific reference to spinal cord tumour resection surgery. Choose the intraoperative neurophysiological monitoring and/or mapping modalities you would employ during the below listed procedures and clearly state the rationale for your choice(s): Spine 	
	 overall usefulness of the two primary modalities used in intraoperative neurophysiological monitoring (IONM): 1. Somatosensory Evoked Potentials (SSEPs) and 2. Transcranial Motor Evoked Potentials (TCMEPs). Compare and contrast TCMEPs and D-wave potentials with specific reference to spinal cord tumour resection surgery. Choose the intraoperative neurophysiological <i>monitoring</i> and/or <i>mapping</i> modalities you would employ during the below listed procedures and clearly state the rationale for your choice(s): Spine deformity correction. 	
	 overall usefulness of the two primary modalities used in intraoperative neurophysiological monitoring (IONM): 1. Somatosensory Evoked Potentials (SSEPs) and 2. Transcranial Motor Evoked Potentials (TcMEPs). Compare and contrast TcMEPs and D-wave potentials with specific reference to spinal cord tumour resection surgery. Choose the intraoperative neurophysiological <i>monitoring</i> and/or <i>mapping</i> modalities you would employ during the below listed procedures and clearly state the rationale for your choice(s): Spine deformity correction. 	
12:30 - 13:40	 overall usefulness of the two primary modalities used in intraoperative neurophysiological monitoring (IONM): 1. Somatosensory Evoked Potentials (SSEPs) and 2. Transcranial Motor Evoked Potentials (TCMEPs). Compare and contrast TcMEPs and D-wave potentials with specific reference to spinal cord tumour resection surgery. Choose the intraoperative neurophysiological monitoring and/or mapping modalities you would employ during the below listed procedures and clearly state the rationale for your choice(s): Spine deformity correction. 	Du Charles Aski
<u>12:30 - 13:40</u> 13:40 - 14:20	 overall usefulness of the two primary modalities used in intraoperative neurophysiological monitoring (IONM): 1. Somatosensory Evoked Potentials (SSEPs) and 2. Transcranial Motor Evoked Potentials (TCMEPs). Compare and contrast TCMEPs and D-wave potentials with specific reference to spinal cord tumour resection surgery. Choose the intraoperative neurophysiological monitoring and/or mapping modalities you would employ during the below listed procedures and clearly state the rationale for your choice(s): Spine deformity correction. LUNCH Cranial Nerves: Review II 	Dr. Charles Agbi
12:30 - 13:40 13:40 - 14:20	 overall usefulness of the two primary modalities used in intraoperative neurophysiological monitoring (IONM): 1. Somatosensory Evoked Potentials (SSEPs) and 2. Transcranial Motor Evoked Potentials (TCMEPs). Compare and contrast TCMEPs and D-wave potentials with specific reference to spinal cord tumour resection surgery. Choose the intraoperative neurophysiological monitoring and/or mapping modalities you would employ during the below listed procedures and clearly state the rationale for your choice(s): Spine deformity correction. LUNCH Describe the central connections of cranial nerves VII, VIIII, IX,X, XI and XII Discurs the clinical apports of the neurophysiology 	Dr. Charles Agbi
<u>12:30 – 13:40</u> 13:40 – 14:20	 overall usefulness of the two primary modalities used in intraoperative neurophysiological monitoring (IONM): 1. Somatosensory Evoked Potentials (SSEPs) and 2. Transcranial Motor Evoked Potentials (TcMEPs). Compare and contrast TcMEPs and D-wave potentials with specific reference to spinal cord tumour resection surgery. Choose the intraoperative neurophysiological monitoring and/or mapping modalities you would employ during the below listed procedures and clearly state the rationale for your choice(s): Spine deformity correction. LUNCH Cranial Nerves: Review II Describe the central connections of cranial nerves VII, VIIII, IX,X, XI and XII Discuss the clinical aspects of the neurophysiology. 	Dr. Charles Agbi
<u>12:30 – 13:40</u> 13:40 – 14:20	 overall usefulness of the two primary modalities used in intraoperative neurophysiological monitoring (IONM): 1. Somatosensory Evoked Potentials (SSEPs) and 2. Transcranial Motor Evoked Potentials (TCMEPs). Compare and contrast TcMEPs and D-wave potentials with specific reference to spinal cord tumour resection surgery. Choose the intraoperative neurophysiological monitoring and/or mapping modalities you would employ during the below listed procedures and clearly state the rationale for your choice(s): Spine deformity correction. LUNCH Describe the central connections of cranial nerves VII, VIIII, IX,X, XI and XII Discuss the clinical aspects of the neurophysiology. List surgical lesions associated with these nerves 	Dr. Charles Agbi
12:30 - 13:40 13:40 - 14:20	 overall usefulness of the two primary modalities used in intraoperative neurophysiological monitoring (IONM): 1. Somatosensory Evoked Potentials (SSEPs) and 2. Transcranial Motor Evoked Potentials (TCMEPs). Compare and contrast TcMEPs and D-wave potentials with specific reference to spinal cord tumour resection surgery. Choose the intraoperative neurophysiological monitoring and/or mapping modalities you would employ during the below listed procedures and clearly state the rationale for your choice(s): Spine deformity correction. LUNCH Describe the central connections of cranial nerves VII, VIIII, IX,X, XI and XII Discuss the clinical aspects of the neurophysiology. Discuss the surgical significance of their course and distribution. List surgical lesions associated with these nerves 	Dr. Charles Agbi
12:30 - 13:40 13:40 - 14:20 14:20 - 15:00	 overall usefulness of the two primary modalities used in intraoperative neurophysiological monitoring (IONM): 1. Somatosensory Evoked Potentials (SSEPs) and 2. Transcranial Motor Evoked Potentials (TcMEPs). Compare and contrast TcMEPs and D-wave potentials with specific reference to spinal cord tumour resection surgery. Choose the intraoperative neurophysiological monitoring and/or mapping modalities you would employ during the below listed procedures and clearly state the rationale for your choice(s): Spine deformity correction. LUNCH Cranial Nerves: Review II Describe the central connections of cranial nerves VII, VIIII, IX,X, XI and XII Discuss the clinical aspects of the neurophysiology. Discuss the surgical significance of their course and distribution. List surgical lesions associated with these nerves Neuroanesthesia Be able to decide the technique of anaesthesia for brain 	Dr. Charles Agbi Dr. Adele Budiansky
<u>12:30 - 13:40</u> 13:40 - 14:20 14:20 - 15:00	 overall usefulness of the two primary modalities used in intraoperative neurophysiological monitoring (IONM): 1. Somatosensory Evoked Potentials (SSEPs) and 2. Transcranial Motor Evoked Potentials (TcMEPs). Compare and contrast TcMEPs and D-wave potentials with specific reference to spinal cord tumour resection surgery. Choose the intraoperative neurophysiological monitoring and/or mapping modalities you would employ during the below listed procedures and clearly state the rationale for your choice(s): Spine deformity correction. LUNCH Describe the central connections of cranial nerves VII, VIIII, IX,X, XI and XII Discuss the clinical aspects of the neurophysiology. Discuss the surgical significance of their course and distribution. List surgical lesions associated with these nerves Neuroanesthesia Be able to decide the technique of anaesthesia for brain mapping procedures and those requiring intraoperative 	Dr. Charles Agbi Dr. Adele Budiansky
12:30 - 13:40 13:40 - 14:20 14:20 - 15:00	 overall usefulness of the two primary modalities used in intraoperative neurophysiological monitoring (IONM): 1. Somatosensory Evoked Potentials (SSEPs) and 2. Transcranial Motor Evoked Potentials (TcMEPs). Compare and contrast TcMEPs and D-wave potentials with specific reference to spinal cord tumour resection surgery. Choose the intraoperative neurophysiological monitoring and/or mapping modalities you would employ during the below listed procedures and clearly state the rationale for your choice(s): Spine deformity correction. LUNCH Describe the central connections of cranial nerves VII, VIIII, IX,X, XI and XII Discuss the clinical aspects of the neurophysiology. Discuss the surgical significance of their course and distribution. List surgical lesions associated with these nerves Neuroanesthesia Be able to decide the technique of anaesthesia for brain mapping procedures and those requiring intraoperative neurophysiological monitoring. 	Dr. Charles Agbi Dr. Adele Budiansky
12:30 - 13:40 13:40 - 14:20 14:20 - 15:00	 overall usefulness of the two primary modalities used in intraoperative neurophysiological monitoring (IONM): 1. Somatosensory Evoked Potentials (SSEPs) and 2. Transcranial Motor Evoked Potentials (TCMEPs). Compare and contrast TcMEPs and D-wave potentials with specific reference to spinal cord tumour resection surgery. Choose the intraoperative neurophysiological monitoring and/or mapping modalities you would employ during the below listed procedures and clearly state the rationale for your choice(s): Spine deformity correction. LUNCH Describe the central connections of cranial nerves VII, VIIII, IX,X, XI and XII Discuss the clinical aspects of the neurophysiology. Discuss the surgical significance of their course and distribution. List surgical lesions associated with these nerves Neuroanesthesia Be able to decide the technique of anaesthesia for brain mapping procedures and those requiring intraoperative neurophysiological monitoring. Be able to discuss the options available for postoperative pain 	Dr. Charles Agbi Dr. Adele Budiansky

	• List the common anaesthetic agents utilized in neurosurgery and their indications and relative merits.	
15:00 - 15:20	BREAK	
15:20 – 16:40	HOT SEAT SESSION	Dr. Safraz Mohammed and Dr. Charles Agbi
16:40 – 17:30	 Chiari malformation and syringomyelia Describe the definition and classification of "Chiari Malformations" Describe Syringomyelia Explain the association of Chiari I malformation and Syringomyelia and the pathophysiological theories explaining this Choose appropriate therapy of Chiari I malformation with or without syringomyelia 	Dr. Jay Riva-Cambrin
17:40 – 18:20	 Pediatric Functional Neurosurgery Epilepsy Spasticity Pain 	Dr. Jay Riva-Cambrin

